EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L6	0	("object code" near6 (updat$3 or access $3 or modif$5 or chang$3 or edit$3)).CLM. and ((additional or other) near4 (invok $3 or call$3 or access $3)).CLM. and (stack $2. near4 rest$4).CLM.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 23:57
L7	0	("object code" near6 (updat$3 or access $3 or modif$5 or chang$3 or edit$3)) and ((additional or other) near4 (invok $3 or call$3 or access $3)) and (stack$2. near4 rest$4) and 717/106-127.CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 23:57
L8	0	("object code" near6 (updat$3 or access $3 or modif$5 or chang$3 or edit$3)) and ((additional or other) near4 (invok $3 or call$3 or access $3)) and (stack$2. near4 rest$4) and 712/228-244.CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 23:58
L9	10	Bley-john-b.IN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 23:59

L10	0	"L9." and ("object code" near6 (updat$3 or access$3 or modif$5 or chang$3 or edit$3)).CLM. and ((additional or other) near4 (invok$3 or call$3 or access$3)).CLM. and (stack$2. near4 rest$4).CLM.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 23:59
L11	0	"L9." and ("object code" near6 (updat$3 or access$3 or modif$5 or chang$3 or edit$3)).CLM.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 23:59
L12	4	L9 and ("object code" near6 (updat$3 or access$3 or modif$5 or chang$3 or edit$3)).CLM.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/08 23:59
L13	9	puryear-daryl-L.IN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/09 00:05
L14	2	L13 and ("object code" near6 (updat$3 or access$3 or modif$5 or chang$3 or edit$3)).CLM.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/09 00:05
L15	3	L13 and (("object code" or "byte code") near6 (updat$3 or access$3 or modif$5 or chang$3 or edit$3)).CLM.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/09 00:06
L16	5	L9 and (("object code" or "byte code") near6 (updat$3 or access$3 or modif$5 or chang$3 or edit$3)).CLM.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/09 00:06

S88	23	(US-20020112227-$ or US-20050015750-$ or US-20040250175-$).did. or (US-7013456-$ or US-6763452-$ or US-6826748-$ or US-5583988-$ or US-6247169-$ or US-6941545-$ or US-7069421-$ or US-7065633-$ or US-5778233-$ or US-7111290-$ or US-6760903-$ or US-6721941-$ or US-5628016-$ or US-6289446-$ or US-6728955-$ or US-6978462-$ or US-7103600-$ or US-6131187-$ or US-6934832-$ or US-6477702-$).did.	US-PGPUB; USPAT	OR	OFF	2008/10/02 14:37
S89	2	S88 and (modif$4 near5 "object code")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/02 14:37
S90	2	S88 and ((modif$4 or updat$3 or changed or alter$3) near6 "object code")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/02 14:42
S91	0	(((access$3 or chang $3 or manipulat$3 or add$3 or modify $3 or updat$3) near6 ("object code" or "byte code" or "bytecode")) same (new near2 function)) and (produc$3 near3 (result)) and (@ad < "20030717" or @prad < "20030717" or @rlad < "20030717")	US-PGPUB; USPAT	OR	OFF	2008/10/02 14:45

S92	2	(((access$3 or chang$3 or manipulat$3 or add$3 or modify$3 or updat$3) near6 ("object code" or "byte code" or "bytecode")) same (new near2 function)) and (@ad < "20030717" or @prad < "20030717" or @rlad < "20030717")	US-PGPUB; USPAT	OR	OFF	2008/10/02 15:31
S93	24	(US-20020112227-$ or US-20050015750-$ or US-20040250175-$).did. or (US-7013456-$ or US-6763452-$ or US-6826748-$ or US-5583988-$ or US-6247169-$ or US-6941545-$ or US-7069421-$ or US-7065633-$ or US-5778233-$ or US-7111290-$ or US-6760903-$ or US-6721941-$ or US-5628016-$ or US-6289446-$ or US-6728955-$ or US-6978462-$ or US-7103600-$ or US-6131187-$ or US-6934832-$ or US-6477702-$ or US-5423042-$).did.	US-PGPUB; USPAT	OR	OFF	2008/10/02 17:18
S94	21	S93 and (stack)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/02 17:18

S95	24	(US-20020112227-$ or US-20050015750-$ or US-20040250175-$).did. or (US-7013456-$ or US-6763452-$ or US-6826748-$ or US-5583988-$ or US-6247169-$ or US-6941545-$ or US-7069421-$ or US-7065633-$ or US-5778233-$ or US-7111290-$ or US-6760903-$ or US-6721941-$ or US-5628016-$ or US-6289446-$ or US-6728955-$ or US-6978462-$ or US-7103600-$ or US-6131187-$ or US-6934832-$ or US-6477702-$ or US-5423042-$).did.	US-PGPUB; USPAT	OR	OFF	2008/10/03 14:16
S96	3	S95 and (modif$5 near5 (object code)) and ((stor$3 near3 (result$2)) same stack)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/03 14:17
S97	0	("exception handler" near3 shar$3) and ((invok$4 or call$3) near3 "stack") and ((modif$5 or updat$3 or chang$3) near4 "object code") and (@ad < "20010228" or @prad < "20010228" or @rlad < "20010228")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/06 11:29

S98	0	("exception handler" near3 shar$3) and ((modif$5 or updat $3 or chang$3) near4 "object code") and (@ad < "20010228" or @prad < "20010228" or @rlad < "20010228")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/06 11:29
S99	0	(("exception handler" near3 shar $3) same "object code") and (@ad < "20010228" or @prad < "20010228" or @rlad < "20010228")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/06 11:30
S100	0	(("exception handler" near3 shar $3) same "object code") and (@ad < "20030717" or @prad < "20030717" or @rlad < "20030717")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/06 11:31
S101	0	(("exception handler" near4 shar $3) same "object code") and (@ad < "20030717" or @prad < "20030717" or @rlad < "20030717")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/06 11:31
S102	0	(("exception" near4 shar$3) same "object code") and (@ad < "20030717" or @prad < "20030717" or @rlad < "20030717")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/06 11:31

S103	16	(("exception" near4 shar$3) and "object code") and (@ad < "20030717" or @prad < "20030717" or @rlad < "20030717")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/06 11:32
S104	11	S103 and stack	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/06 12:11
S105	26	(US-20020112227-$ or US-20050015750-$ or US-20040250175-$).did. or (US-7013456-$ or US-6763452-$ or US-6826748-$ or US-5583988-$ or US-6247169-$ or US-6941545-$ or US-7069421-$ or US-7065633-$ or US-5778233-$ or US-7111290-$ or US-6760903-$ or US-6721941-$ or US-5628016-$ or US-6289446-$ or US-6728955-$ or US-6978462-$ or US-7103600-$ or US-6131187-$ or US-6934832-$ or US-6477702-$ or US-5423042-$ or US-6901588-$ or US-6904517-$).did.	US-PGPUB; USPAT	OR	OFF	2008/10/06 13:17
S106	3	S105 and ((modif$5 or chang$3 or rewrit $3) near3 ("object code"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/06 13:18
S107	2	"5193180".PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/06 13:20

S108	1	S107 and ((modif$5 or chang$3 or rewrit $3 or add$3) near5 ("object code"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/06 13:22
S109	1	S107 and ((modif$5 or chang$3 or rewrit $3 or add$3) near5 (object near2 ("file" or "code")))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/06 13:23
S110	27	(US-20020112227-$ or US-20050015750-$ or US-20040250175-$).did. or (US-7013456-$ or US-6763452-$ or US-6826748-$ or US-5583988-$ or US-6247169-$ or US-6941545-$ or US-7069421-$ or US-7065633-$ or US-5778233-$ or US-7111290-$ or US-6760903-$ or US-6721941-$ or US-5628016-$ or US-6289446-$ or US-6728955-$ or US-6978462-$ or US-7103600-$ or US-6131187-$ or US-6934832-$ or US-6477702-$ or US-5423042-$ or US-6901588-$ or US-6904517-$ or US-5193180-$).did.	US-PGPUB; USPAT	OR	OFF	2008/10/06 13:23
S111	7	S110 and ((modif$5 or chang$3 or rewrit $3 or add$3) near5 (object near2 ("file" or "code")))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/06 13:24
S112	5	S110 and ((modif$5 or chang$3 or rewrit $3 or add$3) near5 (object near2 ("file" or "code"))) and stack	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/06 13:28

S113	3	S112 and (Java)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/06 13:46
S114	3	S112 and (Java or JAVA)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/06 13:46
S115	13	(shar$3 near4 "object code") and ((chang$3 or modif $5 or updat$3) near4 "object code") and (@ad < "20030717" or @prad < "20030717" or @rlad < "20030717")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/07 12:00
S116	4	(shar$3 near4 "object code") and ((chang$3 or modif $5 or updat$3) near4 "object code") and stack and (@ad < "20030717" or @prad < "20030717" or @rlad < "20030717")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/07 12:02
S117	4	(shar$3 near4 "object code") and ((chang$3 or modif $5 or updat$3 or edit $3) near4 "object code") and stack and (@ad < "20030717" or @prad < "20030717" or @rlad < "20030717")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/07 12:06

| S118 | 7 | (shar$3 near4 "object code") and ((chang$3 or modif $5 or updat$3 or edit $3) near4 object) and stack and (@ad < "20030717" or @prad < "20030717" or @rlad < "20030717") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/10/07 12:06 |

10/9/08 12:09:14 AM
C:\ Documents and Settings\ cchow\ My Documents\ EAST\ Workspaces\ 10622022.wsp